


Gas Fireplaces



A series of wavy, overlapping lines in shades of orange and black, creating a dynamic, flowing pattern across the bottom half of the page.

G A S F I R E P L A C E S

planika
INTELLIGENT FIRE



Autumn romance inspired us to create a brand new collection.
Greatest film star legends — for impressive style and magic.

~ Planika

'A Farewall to Arms', 1932, directed by Frank Borzage

INDEX

G A S F I R E P L A C E S

About us

4

Why Planika?

7

Technology

8

Safety

11

ECO

12

Valentino

15

Monroe

23

Finishing options

30

Bespoke open

33

Outdoor

35

Technical drawings

38

ABOUT US

We would like to introduce you to the amazing world of Planika's gas fireplaces. Planika joins the warmth of natural fire with the advanced, certified and safe technology creating wonderful, highly functional solutions. The uniqueness of the solutions applied allows Planika Fires to obtain the effect of dancing flames in their natural intense colours. With the appropriate amount of time spent on designing and carefully selecting materials, manufactured in Europe, Planika Fires has already succeeded in more than 80 countries all over the world.

Today, Planika with subsidiaries in USA, Russia and India, sells its products worldwide and has more appreciation among clients of private and public sector, as well as architects. The design process of our gas fireplaces takes place in the Planika Studio where excellent conditions for young designers are provided. By using the most advanced equipment, we can guarantee the reliability and durability of Planika's products, since each product is carefully tested before being sold.

Our success lies in designing a new form that corresponds with constantly changing technology. Design together with technical knowledge and experience are the basis for every model. By always paying close attention to every detail while shaping the form and carefully selecting the highest quality materials for gas fireplaces, Planika has come up with products that are in accordance with our sustainable agenda. In order to provide finest, reliable products, our specialists constantly modernize the implemented technologies.

By stimulating cooperation between technology and business, the company has gained the position of the world leader in the production and distribution of bioethanol and gas fireplaces, suitable for both commercial and private areas. Planika provides people with primeval element of fire dressed in the highest quality design.









WHY PLANIKA?

WHY TO CHOOSE US?

WORLDWIDE EXPERIENCE

- Over 15 years on the international market
- Leadership experience in the fireplace industry
- Numerous ingenious projects on every continent
- Appreciation in over 80 countries
- Top private and commercial designs (Marriott, Hilton, Kempinski and many more)

ENVIRONMENTALLY FRIENDLY

- No harmful by-products
- No chance for sparks or ash
- Energy efficient
- Consistent heat supply
- Closed combustion system

CUSTOMIZED APPROACH

- Customizable length and configuration
- Versatile installation options
- Perfect fit in any interior design concept
- LPG or natural gas powered
- Different finishing and glazing options
- Project Department for advice and assistance

ADVANCED SAFETY FEATURES

- Multiple safety sensors: gas sensor, CO sensor, seismic activity sensor
- Child lock
- Advanced thermostat for constant heat
- Reminder of scheduled service
- Automatic ignition
- Certified solution

CONVENIENCE IN USE

- Smart Home System compatible
- Remote control
- Wi-Fi (controlled with mobile devices)
- 15 levels of flame height
- Eco flow mode
- Module division

STYLISH SOLUTION FOR LIVING

- Anti-reflective glass
- Linear-shape burner/campfire burner
- Authentic-looking logs and pebbles
- Warm, glowing fires
- Makes your vision become reality



TECHNOLOGY

BALANCED FLUE SYSTEM

Balanced flue system (or closed combustion) ensures that the entire burning process takes place in a hermetically sealed space. Coaxial pipe discharges exhaust gases outside the building, while providing a continuous supply of oxygen. Air for combustion is drawn in through the outside pipe while the inside pipe removes the combustion gases to the exterior of your living space. Burning fire does not affect the cleanliness of the air in the room in any way; the exhaust gases are removed through the chimney system, and the room reaches only the warm air and the glow of the flames.

SPACE HEATING

Gas fireplace is not just a decoration - a room can be heated up by the warm air discharged from the furnace through two concentrating additional pipes. It does not include exhaust gases or pollution - it is a natural, clean source of heat. The ambient temperature is also increased due to the emission of heat through the glass, obscuring the flame. The combination of these two systems allows to achieve outstanding results and quickly warm the cold room.



TECHNOLOGY

TWO TYPES OF BURNERS:



Linear burner is horizontally located line of flames. The effect of spatial depth of fire has been strengthened by forming a burner in the shape of a flattened sine wave.



Campfire burner was created to give the shape of a traditional fireplace, while removing its drawbacks – such as ash, soot or smoke. The system of decorative flames gives them triangular shape, similar to the real fireplace.

CLEAN BURNING FUEL OPTIONS



When choosing a gas fireplace you have two clean burning fuel options: powered by natural gas or LPG.

THERMOSTAT



Due to technological innovation, it is possible to control the power of fireplace, depending on the desired room temperature. If you want the living room temperature to be maintained at 21 degrees, the heat output of the furnace will be changed to maintain the desired level. The fire will automatically adjust to your needs.

15 FLAME HEIGHT ADJUSTMENT



The flame height can be completely adapted to the user's needs. If you want to heat up the room, you can increase the power of the fire by setting a higher flame height. When we want a cozy atmosphere, a fireplace can be dimmed by using lower levels.

REMOTE OPTIONS

Planika did not forget about user's comfort. Fireplace service is performed remotely - by remote control, Smart Home System or via mobile devices.



- The remote control allows convenient management of fireplace and easy modification of the most important parameters.



- You can also connect Planika's fireplace to any Smart Home System - wired or wireless.



- Wi-Fi module makes it possible to control the fireplace with any smart device and enjoy the dancing flames from the comfort of your sofa.



Valentino F gas fireplace

SAFETY

BURNING CONTROL SYSTEM



Burning Control System holds the control of the proper operation of the fireplace. Advanced electronics, coupled with the multiple safety sensors, monitor the status of the device and eliminates the threat before it even appear.

- a) CO sensor - Burning Control System will turn off the fireplace, if the CO exceeds the safe level. The system informs the user about this situation by a message on the display and the warning beep.
- b) A gas sensor - if the system detects gas leaks, the supply valve will be closed immediately, and the fireplace will shut down.
- c) Seismic activity sensor is provided to ensure that the device is deactivated automatically in the event of any seismic activity being observed.

FLAME CONTROL



Protection against gas leak - if the flame disappears, the gas supply will be cut off immediately.

CHILD LOCK



To start the fireplace, simultaneously hold two keys on the remote control or mobile device. This protection is there to minimize the risk of accidental launch of the product.

CERTIFIED CONSTRUCTION



All components of the fireplace has been tested in detail; each of them has the highest quality and safety certificate.

REMINDER OF SCHEDULED SERVICE



Fireplace reminds the user about the necessity of service review in an appropriate time.



ECO

ECO FLOW FUNCTION



Planika introduced a system of Eco Flow to reduce gas consumption, while fully preserving the natural appearance of flames. It modulates the flame height based on the recorded pattern - fire surges, reducing and increasing its height over time. The system saves up to 40% of gas, while maintaining the natural appearance of the flame.

MODULE DIVISION



To create a warm atmosphere of peace and tranquility, you can turn on the central module only, which gently illuminates the room without disturbing the soothing evening twilight. The fade side sections will also save gas - up to another 30%.

PERFECT FOR HOUSES WITH HEAT RECOVERY VENTILATION

Gas fireplace has its own closed combustion system in order to ensure a very high level of safety, and can be installed in buildings with heat recovery ventilation (HRV).



ECO FUEL



Gas is a green energy source, which in addition does not strain the family budget. Both natural gas and LPG burn cleanly, with no smoke, ash or soot. It is environmentally friendly - in contrast to the traditional sources of fuel such as coal or wood.







Valentino LF gas fireplace

VALENTINO

GAS FIREPLACES

Valentino fireplace combines all features that a gas fireplace should have. This fireplace is designed to completely resemble traditional fireplaces. Flames naturally and irregularly flow around authentic-looking logs in tandem with visual illusion of real ashes.

Built-in safety sensors guarantee reliable operation of the device. Planika's engineers equipped fireplace with an advanced gas sensor in order to detect a presence of a dangerous gas leak, and CO detector for preventing carbon monoxide level increase. Additional high protection for homeowners is ensured by seismic activity sensor and child lock mode.

Not only fireplace gives the opportunity to obtain large savings in gas consumption thanks to the Eco flow mode, but also the ability to turn off side sections of the hearth. Such exclusive feature as managing your fireplace with the push of a button has many advantages in comparison to wood-burning fireplaces. Fireplace owners can choose such operation modes as remote control, Smart Home System or via Wi-Fi.

The use of anti-reflective glass and 15 levels of flame height give a user the ability to customize the appearance of flames to individual needs and enjoy a beautiful view from year-to-year.

Perfect for any interior design concept, this breathtaking linear-shape burner offers versatile installation options. This model is offered in two standard lengths: each of them comes in four versions, differing in installation of anti-reflective glass.

Valentino F glazing on one side (front)

Valentino LF glazing on both sides (left, front)

Valentino FR glazing on both sides (front, right)

Valentino LFR glazing on three sides (left, front, right)






Valentino F gas fireplace

VALENTINO F

FRONT GLAZING 1000 / 1300



FEATURES:

Linear-shape burner
Anti-reflective glass - front
LPG / natural gas powered
CO sensor
Gas sensor
Seismic activity sensor
Child lock
Advanced thermostat


Reminder of scheduled service
Remote control
Smart Home System compatibility
Wi-Fi (controlled with mobile devices)
15 levels of flame height
Eco flow mode
Module division mode
Authentic-looking accessories

TECHNICAL DATA:

Front glass length [mm]	1000		1300	
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)	Natural gas (G20/G25)	LPG (G30/G31)
Nominal Heat Output [kW]	6,4	6,7	8,5	7,4
Nominal Heat Input (Hi) [kW]	8,5	8,9	11,3	9,9
Gas consumption [m ³ /h]	0,25-0,9	-	0,29-1,2	-
Gas consumption [kg/h]	-	0,2-0,7	-	0,2-0,78
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130

VALENTINO LF/FR

LEFT / FRONT OR FRONT / RIGHT GLAZING 1000 / 1300



FEATURES:

Linear-shape burner
Anti-reflective glass - left/front or front/right
LPG / natural gas powered
CO sensor
Gas sensor
Seismic activity sensor
Child lock
Advanced thermostat

Reminder of scheduled service
Remote control
Smart Home System compatibility
Wi-Fi (controlled with mobile devices)
15 levels of flame height
Eco flow mode
Module division mode
Authentic-looking accessories

TECHNICAL DATA:

Front glass length [mm]	1000		1300	
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)	Natural gas (G20/G25)	LPG (G30/G31)
Nominal Heat Output [kW]	6,4	6,7	8,5	7,4
Nominal Heat Input (Hi) [kW]	8,5	8,9	11,3	9,9
Gas consumption [m ³ /h]	0,25-0,9	-	0,29-1,2	-
Gas consumption [kg/h]	-	0,2-0,7	-	0,2-0,78
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130




Valentino FR gas fireplace



Valentino LFR gas fireplace

VALENTINO LFR

LEFT / FRONT / RIGHT GLAZING 1000 / 1300



FEATURES:

- Linear-shape burner
- Anti-reflective glass - left/front/right
- LPG / natural gas powered
- CO sensor
- Gas sensor
- Seismic activity sensor
- Child lock
- Advanced thermostat
- Reminder of scheduled service
- Remote control
- Smart Home System compatibility
- Wi-Fi (controlled with mobile devices)
- 15 levels of flame height
- Eco flow mode
- Module division mode
- Authentic-looking accessories

TECHNICAL DATA:

Front glass length [mm]	1000		1300	
	Natural gas (G20/G25)	LPG (G30/G31)	Natural gas (G20/G25)	LPG (G30/G31)
Nominal Heat Output [kW]	6,4	6,7	8,5	7,4
Nominal Heat Input (Hi) [kW]	8,5	8,9	11,3	9,9
Gas consumption [m ³ /h]	0,25-0,9	-	0,29-1,2	-
Gas consumption [kg/h]	-	0,2-0,7	-	0,2-0,78
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130



Monroe F gas fireplace



MONROE

GAS FIREPLACES

Monroe gas fireplace insert is a contemporary model that offers plenty of advantages to the most demanding and design conscious homeowners. Planika's design team created a set of quality natural looking logs in order to elevate the fire presentation to a much higher level and make it more similar to a traditional fireplace.

Gas insert can also help reduce heating costs thanks to the Eco flow mode and the possibility to turn side sections of the hearth off. The fireplace's owner can enjoy operating the device with remote control from anywhere in the room. In order to maximize comfort without any additional effort, Monroe gas fireplace can also be controlled with any smart device through a Wi-Fi system and can be connected to any Smart Home System.

Planika's manufacturing process is accompanied by the use of highly advanced materials and certified technology that ensure operational safety and comfort. The reliable operation of Monroe gas fireplace is supplied by multiple safety sensors. The


device will be automatically shut down in case of gas leak and if carbon monoxide exceeds the permissible level. Additional scores of benefits are supported by seismic activity sensor and child lock mode, so the feeling of safety is guaranteed by a manufacturer.

Monroe gas fireplace is a perfect solution for those who value practicality and convenience, but does not want to give up the beauty of the dancing flames. This model is offered in one standard length which comes in four versions, differing in installation of anti-reflective glass.

- Monroe F** glazing on one side (front)
- Monroe LF** glazing on both sides (left, front)
- Monroe FR** glazing on both sides (front, right)
- Monroe LFR** glazing on three sides (left, front, right)

MONROE F

FRONT GLAZING 900



FEATURES:

- Campfire burner
- Anti-reflective glass - front
- LPG / natural gas powered
- CO sensor
- Gas sensor
- Seismic activity sensor
- Child lock
- Advanced thermostat
- Reminder of scheduled service
- Remote control
- Smart Home System compatibility
- Wi-Fi (controlled with mobile devices)
- 15 levels of flame height
- Eco flow mode
- Module division mode
- Authentic-looking accessories

TECHNICAL DATA:


Front glass length [mm]	900	
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)
Nominal Heat Output [kW]	7,4	7,2
Nominal Heat Input (Hi) [kW]	9,9	9,5
Gas consumption [m ³ /h]	0,3-1,05	-
Gas consumption [kg/h]	-	0,2-0,75
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss) or brick panel	Matt black painted steel / optional rear lining: black ceramic glass (high gloss) or brick panel
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130





MONROE LF/FR

LEFT / FRONT OR FRONT / RIGHT GLAZING 900



FEATURES:


- Campfire burner
- Anti-reflective glass - left/front or front/right
- LPG / natural gas powered
- CO sensor
- Gas sensor
- Seismic activity sensor
- Child lock
- Advanced thermostat
- Reminder of scheduled service
- Remote control
- Smart Home System compatibility
- Wi-Fi (controlled with mobile devices)
- 15 levels of flame height
- Eco flow mode
- Module division mode
- Authentic-looking accessories

TECHNICAL DATA:

Front glass length [mm]	900	
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)
Nominal Heat Output [kW]	7,4	7,2
Nominal Heat Input (Hi) [kW]	9,9	9,5
Gas consumption [m ³ /h]	0,3-1,05	-
Gas consumption [kg/h]	-	0,2-0,75
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high glass) or brick panel	Matt black painted steel / optional rear lining: black ceramic glass (high glass) or brick panel
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130

MONROE LFR

LEFT / FRONT / RIGHT GLAZING 900



FEATURES:

- Campfire burner
- Anti-reflective glass - left/front/right
- LPG / natural gas powered
- CO sensor
- Gas sensor
- Seismic activity sensor
- Child lock
- Advanced thermostat
- Reminder of scheduled service
- Remote control
- Smart Home System compatibility
- Wi-Fi (controlled with mobile devices)
- 15 levels of flame height
- Eco flow mode
- Module division mode
- Authentic-looking accessories

TECHNICAL DATA:

Front glass length [mm]	900	
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)
Nominal Heat Output [kW]	7,4	7,2
Nominal Heat Input (Hi) [kW]	9,9	9,5
Gas consumption [m ³ /h]	0,3-1,05	-
Gas consumption [kg/h]	-	0,2-0,75
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high glass) or brick panel	Matt black painted steel / optional rear lining: black ceramic glass (high glass) or brick panel
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130




Monroe LFR gas fireplace

MONROE

ANTI-REFLECTIVE GLASS

VALENTINO

ANTI-REFLECTIVE GLASS




MONROE

FINISHING OPTIONS

VALENTINO

FINISHING OPTIONS





Bespoke open gas fireplace

BESPOKE OPEN FIREPLACES

TAILORED TO YOUR NEEDS

Perfectly suitable for any unique design, Planika's open gas fireplace is the innovative product that meets needs of architects and designers all over the world.

Linear fireplace is a luxurious product and can be personalized to fit any project. In order to meet the unique expectations, various length options of fire inserts are available. For instance, by placing several modules together, it is possible to create an endless line of real fire that will never be too short.

Moreover, gas fireplace can be operated with a remote control or smart devices via Wi-Fi – a user can switch it on or off and regulate the flame size. Another undeniable advantage of open gas fireplace is any Smart Home System compatibility - also in the case, when several modules are joined together.

Taking care of the relationship with our customers, we aim to tailor bespoke open fireplaces to their specific requirements. To ensure your comfort and safety, sophisticated safety sensors, such as gas sensor, CO sensor or seismic activity sensor, work together with an advanced thermostat for constant heat supply.

Simply contact our Project Department and we will tailor our fireplace to your project.




OUTDOOR

GALIO CORTEN

Galio Corten is a linear gas fireplace that creates a cozy and unique atmosphere in outdoor living spaces. Its design and portability bring the beauty and warmth of fire with the convenience of no construction work. Made of weather resistant materials, Galio Corten is guaranteed to deliver style and taste to residential and commercial outdoor spaces throughout the year.

Planika's Galio Corten fireplace can be customized from 800 mm up to 2000 mm of length per one module. Thanks to its exceptional design and flames captured as a long line of fire, Galio revives the atmosphere of any garden or patio. Freestanding solution meeting highest expectations.



FEATURES:

- Linear-shape burner
- LPG/natural gas powered
- For outdoor use
- Intuitive control panel
- Flame height regulation
- Bespoke sizes

- Possibility of joining modules
- No installation
- No electrical connection required
- Portable unit
- Decorative Black Diamond stones

TECHNICAL DATA:

- Net weight: 31 kg / 68 lbs
- Heat output:
 - min.: 7 kW; max.: 12 kW
 - min.: 23202 BTU; max.: 40263 BTU
- Gas pressure: 37 mbar / 15 w.c.
- Gas rate:
 - min.: 0,5 kg/h; max.: 0,9 kg/h
 - min.: 1,2 lbs/h; max.: 2 lbs/h

Finish:


- CASING: corten steel
- GLASS SHIELD: tempered glass
- BURNER: stainless steel

OUTDOOR

GALIO INSERT

Galio is a linear shaped gas insert made of weather resistant materials. This product makes perfect solution for those who would like to adjust the arrangement of the most advanced device to individual design. With Galio Insert we make it easy to combine the quality of Planika's fireplace with your idea of style.

Planika's Galio Insert fireplace can be customized from 800 mm up to 2500 mm long per one module. By placing several units together it is possible to create the endless line of real fire. It is perfect solution for both commercial and private purposes as it becomes the focal point of the design, spreading the warmth of the fireplace round.



FEATURES:

- Linear-shape burner
- LPG/natural gas powered
- For outdoor use
- Intuitive control panel
- Flame height regulation
- Bespoke sizes

- Possibility of joining modules
- No installation
- No electrical connection required
- Portable unit
- Decorative Black Diamond stones

TECHNICAL DATA:

- Net weight: 31 kg / 68 lbs
- Heat output:
 - min.: 7 kW; max.: 12 kW
 - min.: 23202 BTU; max.: 40263 BTU
- Gas pressure: 37 mbar / 15 w.c.
- Gas rate:
 - min.: 0,5 kg/h; max.: 0,9 kg/h
 - min.: 1,2 lbs/h; max.: 2 lbs/h

Finish:


stainless steel




VALENTINO

TECHNICAL DRAWINGS


Valentino - F 1000




Valentino - LF 1000




Valentino - FR 1000




Valentino - LFR 1000




Valentino - F 1300




Valentino - LF 1300



Valentino - FR 1300



Valentino - LFR 1300









MONROE

TECHNICAL DRAWINGS

OUTDOOR

TECHNICAL DRAWINGS





20th century was our source of inspiration for attractive,
comfortable and safe collection.

~ Planika